

MREŽNA OPREMA



Interni Access point

UniFi UAP AC LITE



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 867 Mbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80)
Vrsta antene: Interna
Jačina signala: 20 dBm
Izmenjiva antena: Ne
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
PoE In: Da
Napajanje: 24V Passive PoE (Pairs 4, 5+; 7, 8 Return)
Dimenzije: 160 x 160 x 31.45 mm
Radna temperatura: -10 to 70° C

133.20 111.00

Šifra 6672



Interni Access point

UniFi UAP AC LR



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 867 Mbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80)
Vrsta antene: Interna
Jačina signala: 2.4 GHz - 24 dBm, 5GHz - 22 dBm
Izmenjiva antena: Ne
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
PoE In: Da
Napajanje: 24V, 0.5A Gigabit PoE Adapter*
Dimenzije: 175.7 x 175.7 x 43.2 mm
Radna temperatura: -10 to 70° C

166.32 138.60

Šifra 6846



Interni Access point

UniFi UAP AC PRO



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 867 Mbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80)
Vrsta antene: Interna
Jačina signala: 2.4 GHz - 22 dBm, 5GHz - 22 dBm
Izmenjiva antena: Ne
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 2
Broj USB 2.0 Portova: 1
PoE In: Da
Napajanje: UniFi Switch (PoE)
Dimenzije: 196.7 x 196.7 x 35 mm
Radna temperatura: -10 to 70° C

228.00 190.00

Šifra 6845



Interni Access point

UniFi UAP AC HD NANO



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80)
Vrsta antene: Interna
Jačina signala: 2.4 GHz - 23 dBm,
5GHz - 26 dBm
Izmenjiva antena: Ne
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
PoE In: Da
Napajanje: UniFi Switch (PoE)
Dimenzije: 160 x 160 x 32.65 mm
Radna temperatura: -10 to 70° C

283.80 236.50

Šifra 6838



Interni Access point

UniFi UAP AC HD



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80)
58 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2, VHT 160)
Vrsta antene: Interna
Jačina signala: 6-25 dBm
Izmenjiva antena: Ne
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 2
PoE In: Da
Napajanje: UniFi Switch (PoE)
Dimenzije: 220 x 220 x 48.1 mm
Radna temperatura: -10 to 70° C

496.32 413.60

Šifra /



Cloud Key

UniFi Cloud Key Gen2 UCK-G2



Procesor: APQ8053
Radni takt procesora: 2 GB RAM
Memorija: 32 GB
Ostalo: UniFi App; UniFi Network Interface
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
LED: (1) Power, White/Blue
PoE In: Da
Napajanje: Standard 802.3 af PoE, DC 5V 1A Powered
Radna temperatura: 0 to 35° C

300.00 250.00

Šifra /

UniFi
Cloud Key UC-CK



Procesor: Quad-Core SoC
Radni takt procesora: 2 GB RAM
Memorija: 16 GB
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
LED: (1) Power, White/Blue
Konektori: 1 x RJ45, 1 x USB Type C
PoE In: Da
Napajanje: 802.3af PoE or USB-C 5V, Minimum 1A
Radna temperatura: 0 to 40° C

127.20 106.00

Šifra 6839

UniFi
UniFi AC Mesh AP



WiFi frekvencija: Dual Band
WiFi brzina: 6.5 Mbps to 867 Mbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80)
Vrsta antene: Eksterna
Jačina signala: 20 dBm
Izmenjiva antena: Da
Vrsta LAN Portova (Mbit): 1000
Broj LAN Portova: 1
PoE In: Da
Napajanje: 24V, 0.5A Gigabit PoE Adapter*
Dimenzije: 353 x 46 x 34.4 mm
Radna temperatura: -30 to 70° C

147.60 123.00

Šifra 6869

LiteBeam
AC, LBE-5AC-Gen2



WiFi frekvencija: Dual Band
Vrsta antene: Eksterna
Jačina signala: 23 dBi
Izmenjiva antena: Ne
PoE In: Da
Napajanje: 24V, 0.3A Gigabit PoE Adapter (Included)
Frekvencija: 5150 - 5875 MHz
Procesor: MIPS 74Kc
Memorija: 64 MB DDR2
LED: Power, Ethernet
Dimenzije: 358 x 271.95 x 272.5 mm
Težina: 800 g

116.40 97.00

Šifra 6744



Eksterni Access point

LBE-5AC-LR



WiFi frekvencija: Dual Band

Vrsta antene: Eksterna

Jačina signala: 26 dBi

Izmenjiva antena: Ne

PoE In: Da

Napajanje: 24V, 0.3A Gigabit PoE Adapter (Included)

Frekvencija: 5150 - 5875 MHz

Procesor: MIPS 74Kc

Memorija: 64 MB DDR2

LED: Power, Ethernet

Dimenzije: 512.5 x 385.75 x 258.3 mm

Težina: 1.360 kg

200.40 167.00

Šifra 7222



Eksterni Access point

PBE-5AC-GEN2



WiFi frekvencija: 5 GHz

Vrsta antene: Eksterna

Jačina signala: 25 dBi

Izmenjiva antena: Ne

PoE In: Da

Napajanje: 24V, 0.5A Gigabit PoE

Frekvencija: 5150 - 5875 MHz

Procesor: MIPS 74Kc

Dimenzije: 420 x 420 x 230 mm

Težina: 2.22 kg

208.80 174.00

Šifra 6934

EdgeSwitch PoE+ 24 (500W)



Upravljivi PoE Gigabitni switch, koji isporučuje robusne performanse i inteligentno proširenje mreže.

- 24 x PoE Gigabit RJ45 porta
- 2 x SFP porta
- Serijski konzolni port RJ45
- Neblokirajuća propusnost 26 Gbps
- Switching kapacitet: 52 Gbps
- Forwarding Rate: 38.69 Mpps
- Mogućnost L3 rutiranja
- Maksimalna potrošnja energije: 500W
- Podržava POE+ IEEE 802.3at/af and 24V Passive PoE
- Maksimalna PoE+ potrošnja po portu 34.2W
- ESD/EMP protekcija vazдушna: ±24 kV, kontaktna: ±24 kV
- Napajanje AC/DC, Internal, 500W DC
- Dimenzije 485 x 43.7 x 285.4 mm
- Ugradivo u rek 1U

793.20 661.00

Šifra 7212

US-8-150W UniFi Switch



US-8-150W UniFi switch obezbeđuje tihu ali moćnu performansu sa svojih 10 nezavisnih portova.

- 8 x Gigabit RJ45 Porta
- 2 x SFP Porta
- Neblokirajuća propusnost: 10 Gbps
- Switching kapacitet: 20 Gbps
- Forwarding Rate: 14.88 Mpps
- Maksimalna potrošnja energije: 150W
- Podržava PoE+ IEEE 802.3at/af i 24V Passive PoE
- Omogućava tih rad bez ventilatora
- Napajanje AC/DC, Internal, 150W DC
- Dimenzije 204 x 43 x 235 mm

342.00 285.00

Šifra 7238

EdgeSwitch 24 Lite



EdgeSwitch je potpuno upravljivi Gigabitni switch koji pruža robusne performanse i inteligentno proširenje mreže.

- 24 x Gigabit RJ45 porta
- 2 x SFP porta
- Serijski konzolni port RJ45
- Neblokirajuća propusnost 26 Gbps
- Switching kapacitet: 52 Gbps
- Forwarding Rate: 38.69 Mpps
- Mogućnost L3 rutiranja
- Maksimalna potrošnja AC energije 25W
- ESD/EMP protekcija vazдушna: ±24 kV, kontaktna: ±24 kV
- Napajanje AC/DC, Internal, 25W DC
- Dimenzije 443 x 43 x 221 mm
- Ugradivo u rek 1U

307.20 256.00

Šifra 7213

UniFi UMA-D



UniFi antenna UMA-D je dizajnirana za rad sa UniFi® AC Mesh AP, model UAP-AC-M. Sa podrškom za dva opsega, UMA-D proširuje pokrivenost. Dostupan je u pojedinačnim i pet pakovanjima.

- Dimenzije:** 201.3 x 128.0 x 32.5 mm
- Težina sa nosačem:** 480 g
- Kućište:** spoljna UV plastika
- RF konekcije:** 2 x RP-SMA
- Podržani opseg frekvencija:** 2.4 - 2.5 GHz, 5.1 - 5.9 GHz
- HPOL Beamwidth:** 2.4 GHz 90°, 5 GHz 45°
- VPOL Beamwidth:** 2.4 GHz 90°, 5 GHz 45°
- Elevation Beamwidth:** 2.4 GHz 90°, 5 GHz 45°
- Maksimum VSWR:** 2.5:1
- Polarizacija:** Dual-Linear
- Cross-Pol Izolacija:** 2.4 GHz 25 dB, 5 GHz 30 dB
- Antenna Gain:** 2.4 GHz 10 dBi, 5 GHz 15 dBi
- Montiranje:** Zid/stub

154.80 129.00

Šifra 7214

MERCUSYS®

Wireless Router

AC1200 AC12



WiFi frekvencija: Dual Band

WiFi brzina: 11ac: Up to 867Mbps (Dynamic) 11n: Up to 300Mbps (Dynamic) 11g:
Up to 54Mbps (Dynamic) 11b: Up to 11Mbps (Dynamic)

Vrsta antena: Eksterna

Broj antena: 4 x 5dBi omni directional antennas

Izmenjiva antena: Ne

Vrsta LAN Portova (Mbit): 1000

Broj LAN Portova: 5

Napajanje: 9VDC/0.85A

Dimenzije: 222mm x 140mm x 32mm

Radna temperatura: 0°C ~ 40°C

33.60

28.00

Šifra 6844